

# Cellular mast emissions survey

## Waterfront



### Document details

|                             |                                |            |
|-----------------------------|--------------------------------|------------|
| Document name               | Cellular mast emissions survey | Waterfront |
| Survey date                 | 22-09-2021 at 10:38:20         |            |
| Report issue date           | 17-10-2022                     |            |
| Survey engineer             | Louise Sands                   |            |
| Report compiled by          | Uthman Mahmood                 |            |
| Checked and approved by     | Bachir Belloul                 |            |
| Authorised for distribution | Tom Bennett                    |            |

## Contents page

|     |                         |    |
|-----|-------------------------|----|
| 1   | Executive summary ..... | 3  |
| 2   | Site details.....       | 4  |
| 2.1 | Site location .....     | 4  |
| 2.2 | Site description .....  | 4  |
| 2.3 | Site photo.....         | 5  |
| 2.4 | Test location.....      | 5  |
| 3   | Survey results.....     | 6  |
| 3.1 | 800 MHz band .....      | 6  |
| 3.2 | 900MHz band .....       | 7  |
| 3.3 | 1800 MHz band .....     | 8  |
| 3.4 | 2100MHz band .....      | 9  |
| 3.5 | 2600MHz band .....      | 10 |

## Lists of figures

|                                                                               |    |
|-------------------------------------------------------------------------------|----|
| Figure 1 – Map of the site area .....                                         | 4  |
| Figure 2 – Location of the peak and where emission levels were measured ..... | 5  |
| Figure 3 – Survey area with spot measurement markers.....                     | 5  |
| Figure 4 – 800MHz band spectrum scan.....                                     | 6  |
| Figure 5 – 900MHz band spectrum scan.....                                     | 7  |
| Figure 6 – 1800MHz spectrum scan.....                                         | 8  |
| Figure 7 – 2100MHz band spectrum scan.....                                    | 9  |
| Figure 8 – 2600MHz band spectrum scan.....                                    | 10 |

## List of tables

|                                                              |    |
|--------------------------------------------------------------|----|
| Table 1 – Cumulative exposure quotient.....                  | 3  |
| Table 2 – 800MHz band exposure quotient at Waterfront .....  | 6  |
| Table 3 – 900MHz band exposure quotient at Waterfront .....  | 7  |
| Table 4 – 1800MHz band exposure quotient at Waterfront ..... | 8  |
| Table 5 – 2100MHz band exposure quotient at Waterfront ..... | 9  |
| Table 6 – 2600MHz band exposure quotient at Waterfront ..... | 10 |

## 1 Executive summary

The Jersey Competition and Regulatory Authority or JCRA regularly monitors emission levels from the cellular masts in Jersey<sup>1</sup> to ensure the mobile network operators who operate their services from those masts comply with their license obligations in terms of power levels and that the levels from the sites meet the internationally recognised standards and guidelines regarding health and safety limits for the public.

In 2017, JCRA commissioned EM emission level surveys at all the sites within the island. The surveys were repeated in each subsequent year for all new sites and sites where major changes were made by the operators in the previous year. This report presents the results of the survey conducted at the Waterfront site in 2022.

The Waterfront site was used by a single mobile operator at the time of the survey: JT. Surveys were conducted at all cellular frequency bands (800, 900, 1800, 2100 and 2600MHz) for all mobile cellular technologies (GSM, 3G and 4G) and for all three cellular operators as a routine procedure. Even though the reported levels are expected to be predominantly emitted from this site, the test equipment does not discriminate between nearby sites which means that the levels are cumulated over all site emissions detected by the test instrument.

The survey established that the emission levels around the site were very low and well below the safety limits for the public advised by internationally recognised standards.

The values shown hereafter are the maximum levels recorded around the site following a peak search. The levels were found to be lower at all the other locations round this site. The recorded values are true at the time of testing and can go up or down depending on the level of user activity on the site.

The total Exposure Quotient (EQ) for the site recorded across all detected cellular frequency bands is given at the bottom of the summary table below. A total EQ close to 1 (one) for the site would mean that emission levels approach the safety limit advised by ICNIRP in their guidelines.

**Table 1 – Cumulative exposure quotient**

| Site Name            | Band [MHz] | Max E-field in band [V/m] | Operator at Max E-field | ICNIRP Limit Relative to Max E-field | Band Exposure Quotient | Band EQ Relative to ICNIRP |
|----------------------|------------|---------------------------|-------------------------|--------------------------------------|------------------------|----------------------------|
| Waterfront           | 800        | 0.03763                   | Sure                    | 1034                                 | 1.87114E-05            | 1/ 53443                   |
|                      | 900        | 0.09902                   | Sure                    | 417                                  | 2.03487E-05            | 1/ 49143                   |
|                      | 1800       | 0.1538                    | JT                      | 379                                  | 0.000111106            | 1/ 9000                    |
|                      | 2100       | 0.04695                   | JT                      | 1299                                 | 3.77965E-06            | 1/ 264574                  |
|                      | 2600       | 0.0623                    | Sure                    | 979                                  | 2.55396E-05            | 1/ 39155                   |
| <b>Total Site EQ</b> |            |                           |                         |                                      | 0.000179486            | 1/ 5571                    |

The results show that the total EQ was measured at 1/5571 and therefore remains below the ICNIRP guidelines.


The graphs which follow show the activity on all the frequency bands surveyed. The plots are colour-coded for easy identification of the three main operators: Airtel in red, Sure in dark blue, and Jersey Telecom in light blue. The graphs are also supported by the equivalent statistical figures derived from the measured levels at the site for added clarity.

<sup>1</sup> Prior to 1 July 2020, the JCRA and the Guernsey Competition & Regulatory Authority coordinated their activities in the Channel Islands as the Channel Islands Competition Regulatory Authorities (CICRA). Earlier reports may refer to CICRA rather than JCRA.

## 2 Site details

### 2.1 Site location

Figure 1 – Map of the site area



|                 |                                                     |
|-----------------|-----------------------------------------------------|
| Site name:      | Waterfront                                          |
| Site address:   | Rue de l'Etai, St Helier Harbour, St Helier, Jersey |
| Site latitude:  | 49.18238                                            |
| Site longitude: | -2.11493                                            |

### 2.2 Site description

|                     |                                                                                                                                             |
|---------------------|---------------------------------------------------------------------------------------------------------------------------------------------|
| Operators:          | JT                                                                                                                                          |
| Antenna types:      | Directional                                                                                                                                 |
| Approximate height: | 15m                                                                                                                                         |
| Site type:          | Monopole                                                                                                                                    |
| Description:        | The antenna is located at the top of a street Lamppost on a public road. Getting close to the antenna without climbing aid is not possible. |


## 2.3 Site photo

Figure 2 – Location of the peak where emission levels were measured



## 2.4 Test location

Figure 3 – Survey area with spot measurement markers



The red heart pin is the site location, the green flag pins are intermediate locations measured at during the peak search and the yellow star pin is the spot where the highest spot search reading was obtained and where the detailed survey was carried out.


As part of the peak search procedure, spot measurements were taken at locations around the antennas as shown on the above sketch. The reported spectrum scans were taken at the peak location (shown in red above) where the highest readings were recorded. The spectrum readings reported further down this report were recorded over a period of six minutes as advised by ICNIRP.

### 3 Survey results

#### 3.1 800MHz band

The graph for the 800MHz activity is shown below with the E-field strength levels measured at the site plotted on a logarithmic scale.

**Figure 4 – 800MHz band spectrum scan**



The red line on the scan represents the Airtel activity, the light blue is JT and the dark blue is Sure. ICNIRP's reference level for the General Public is also shown as the straight dashed line at the top of the graph. For clarity, each step on the vertical axis represents a 10-fold increase. The same scaling and colour scheme will be used throughout this report.

The highest measured field level across the band was recorded at 0.03763 V/m (Sure), which is 1,034 times smaller than the ICNIRP Guideline Reference Level.


**Table 2 – 800MHz band exposure quotient at Waterfront**

| Site Name     | Operator | Band [MHz] | Max E-field Strength [V/m] | ICNIRP Limit Relative to Max E-field | Band Exposure Quotient | Band EQ Relative to ICNIRP |
|---------------|----------|------------|----------------------------|--------------------------------------|------------------------|----------------------------|
| Waterfront    | Airtel   | 800        | 0.01683                    | 2311                                 | 1.29298E-06            | 1/ 773407                  |
|               | JT       |            | 0.01888                    | 2060                                 | 3.51661E-06            | 1/ 284365                  |
|               | Sure     |            | 0.03763                    | 1034                                 | 1.39018E-05            | 1/ 71933                   |
| total band EQ |          |            |                            |                                      | 1.87114E-05            | 1/ 53443                   |

### 3.2 900MHz band

The graph for the 900MHz activity is shown below.

**Figure 5 – 900MHz band spectrum scan**



The highest measured field level across the band was recorded at 0.09902 V/m (Sure), which is 417 times smaller than the ICNIRP Guideline Reference Level.

The EQ results for the 900MHz band are shown below.


**Table 3 – 900MHz band exposure quotient at Waterfront**

| Site Name     | Operator | Band [MHz] | Max E-field Strength [V/m] | ICNIRP Limit Relative to Max E-field | Band Exposure Quotient | Band EQ Relative to ICNIRP |
|---------------|----------|------------|----------------------------|--------------------------------------|------------------------|----------------------------|
| Waterfront    | Airtel   | 900        | 0.01338                    | 3083                                 | 5.80691E-07            | 1/ 1722087                 |
|               | JT       |            | 0.07943                    | 519                                  | 8.34797E-06            | 1/ 119790                  |
|               | Sure     |            | 0.09902                    | 417                                  | 1.14201E-05            | 1/ 87565                   |
| total band EQ |          |            |                            |                                      | 2.03487E-05            | 1/ 49143                   |

### 3.3 1800MHz band

The graph for the 1800MHz activity around the site is shown below.

**Figure 6 – 1800MHz spectrum scan**



The highest measured field level across the band was recorded at 0.1538 V/m (JT), which is 379 times smaller than the ICNIRP Guideline Reference Level.

The EQ results for the 1800MHz band are shown below.


**Table 4 – 1800MHz band exposure quotient at Waterfront**

| Site Name     | Operator | Band [MHz] | Max E-field Strength [V/m] | ICNIRP Limit Relative to Max E-field | Band Exposure Quotient | Band EQ Relative to ICNIRP |
|---------------|----------|------------|----------------------------|--------------------------------------|------------------------|----------------------------|
| Waterfront    | Airtel   | 1800       | 0.02476                    | 2356                                 | 1.74626E-06            | 1/ 572651                  |
|               | JT       |            | 0.1538                     | 379                                  | 0.000106522            | 1/ 9388                    |
|               | Sure     |            | 0.04013                    | 1454                                 | 2.83833E-06            | 1/ 352320                  |
| total band EQ |          |            |                            |                                      | 0.000111106            | 1/ 9000                    |

### 3.4 2100MHz band

The graph for the 2100MHz band activity around the site is shown below.

**Figure 7 – 2100MHz band spectrum scan**



Only marginal activity was recorded in the 2100MHz band at this site.

The EQ results for the 2100MHz band are shown below.


**Table 5 – 2100MHz band exposure quotient at Waterfront**

| Site Name     | Operator | Band [MHz] | Max E-field Strength [V/m] | ICNIRP Limit Relative to Max E-field | Band Exposure Quotient | Band EQ Relative to ICNIRP |
|---------------|----------|------------|----------------------------|--------------------------------------|------------------------|----------------------------|
| Waterfront    | Airtel   | 2100       | 0.006549                   | 9314                                 | 6.5443E-08             | 1/ 15280479                |
|               | JT       |            | 0.04695                    | 1299                                 | 1.98106E-06            | 1/ 504781                  |
|               | Sure     |            | 0.02594                    | 2352                                 | 1.71812E-06            | 1/ 582030                  |
|               | Clear    |            | 0.001956                   | 31186                                | 1.50288E-08            | 1/ 66538798                |
| total band EQ |          |            |                            |                                      | 3.77965E-06            | 1/ 264574                  |

### 3.5 2600MHz band

The graph for the 2600MHz band activity around the site is shown below.

**Figure 8 – 2600MHz band spectrum scan**



Only marginal activity was recorded in the 2600MHz band at this site.

The EQ results for the 2600MHz band are shown below.

**Table 6 – 2600MHz band exposure quotient at Waterfront**

| Site Name     | Operator | Band [MHz] | Max E-field Strength [V/m] | ICNIRP Limit Relative to Max E-field | Band Exposure Quotient | Band EQ Relative to ICNIRP |
|---------------|----------|------------|----------------------------|--------------------------------------|------------------------|----------------------------|
| Waterfront    | Airtel   | 2600       | 0.003103                   | 19658                                | 6.40718E-08            | 1/ 15607498                |
|               | JT       |            | 0.04599                    | 1326                                 | 3.30184E-06            | 1/ 302862                  |
|               | Sure     |            | 0.0623                     | 979                                  | 2.21737E-05            | 1/ 45098                   |
| total band EQ |          |            |                            |                                      | 2.55396E-05            | 1/ 39155                   |

END