

Cellular mast emissions survey: St John Ambulance



Document details

Document name	Cellular mast emissions survey:	St John Ambulance
Survey date	18-09-2025 at 12:18	
Report issue date	30-09-2025	
Survey engineer	Aleem Alvi	
Report compiled by	Sonia Khan	
Reviewed and approved by	Bachir Belloul	

©Freshwave Services Limited 2025. Confidential and Proprietary. This document and any information contained therein are intended for the use of employees and customers of Freshwave Services Limited only. No part of this document may be reproduced or transmitted to a third party in any form or means without the prior written consent of Freshwave Services Limited.

Contents page

1	Executive summary	3
2	Site details	4
2.1	Site location	4
2.2	Site description	4
2.3	Site photo	5
2.4	Test location	5
3	Survey results	6
3.1	700MHz band	6
3.2	800MHz band	7
3.3	900MHz band	8
3.4	1800MHz band	9
3.5	2100MHz band	10
3.6	2600MHz band	11
3.7	3400MHz band	12

Lists of figures

Figure 1 – Map of the site area	4
Figure 2 – Location of the peak where emission levels were measured	5
Figure 3 – Survey area with spot measurement markers	5
Figure 4 – 700MHz band spectrum scan	6
Figure 5 – 800MHz band spectrum scan	7
Figure 6 – 900MHz band spectrum scan	8
Figure 7 – 1800MHz spectrum scan	9
Figure 8 – 2100MHz band spectrum scan	10
Figure 9 – 2600MHz band spectrum scan	11
Figure 10 – 3400MHz band spectrum scan	12

List of tables

Table 1 – Total EQ by frequency band	3
Table 2 – 700MHz band exposure quotient at St John Ambulance	6
Table 3 – 800MHz band exposure quotient at St John Ambulance	7
Table 4 – 900MHz band exposure quotient at St John Ambulance	8
Table 5 – 1800MHz band exposure quotient at St John Ambulance	9
Table 6 – 2100MHz band exposure quotient at St John Ambulance	10
Table 7 – 2600MHz band exposure quotient at St John Ambulance	11
Table 8 – 3400MHz band exposure quotient at St John Ambulance	12

1 Executive summary

The Jersey Competition and Regulatory Authority or JCRA regularly monitors emission levels from the cellular masts in Jersey¹ to ensure the mobile network operators who operate their services from those masts comply with their license obligations in terms of power levels and that the levels from the sites meet the internationally recognised standards and guidelines regarding health and safety limits for the public.

In 2017, the JCRA commissioned surveys to measure the electromagnetic field (EMF) emission levels at all the sites hosting mobile telecommunication equipment within the island. Further surveys have been conducted in each subsequent year focussing on new sites, those where significant changes have been made by the operators or those where the public have raised concerns to the JCRA in the previous year. This report presents the results of the survey conducted at the St John Ambulance site in 2025.

In 2025, the Jersey mobile network operators have launched their first commercial 5G services. This year's audits therefore include the frequency bands used for 5G, noting however that not all sites currently have 5G transmitting equipment.

The St John's Ambulance site was used by a single operator at the time of the survey: JT. Surveys were conducted at all cellular frequency bands (700, 800, 900, 1800, 2100, 2600 and 3400MHz) for all mobile cellular technologies (2G, 3G, 4G and 5G) and for all three cellular operators as a routine procedure. Even though the reported levels are expected to be predominantly emitted from this site, the test equipment does not discriminate between nearby sites which means that the levels are cumulated over all site emissions detected by the test instrument.

The survey established that the emission levels around the site were very low and well below the safety limits for the public advised by internationally recognised standards.

The values shown hereafter are the maximum levels recorded around the site following a peak search. The levels were found to be lower at all the other locations round this site. The recorded values are true at the time of testing and can go up or down depending on the level of user activity on the site.

The total Exposure Quotient (EQ) for the site recorded across all detected cellular frequency bands is given at the bottom of the summary table below. A total EQ close to 1 (one) for the site would mean that emission levels approach the safety limit advised by ICNIRP in their guidelines.

Table 1 – Total EQ by frequency band

Site Name	Band [MHz]	Max E-field in band [V/m]	Operator at Max E-field	ICNIRP Limit Relative to Max E-field	Band Exposure Quotient	Band EQ Relative to ICNIRP
St John Ambulance	700	0.00614	JT	6334	1.20814E-06	1/ 827718
	800	0.1863	JT	209	0.000399184	1/ 2505
	900	0.4873	JT	85	0.000629284	1/ 1589
	1800	0.004576	JT	12748	2.89564E-07	1/ 3453465
	2100	0.004527	JT	13475	2.89359E-07	1/ 3455918
	2600	0.003163	JT	19285	3.45665E-07	1/ 2892972
	3500	0.003993	Sure	9740	8.40394E-07	1/ 1189918
Total Site EQ					0.001031441	1/ 970

¹ Prior to 1 July 2020, the JCRA and the Guernsey Competition & Regulatory Authority coordinated their activities in the Channel Islands as the Channel Islands Competition Regulatory Authorities (CICRA). Earlier reports may refer to CICRA rather than JCRA.

The results show that the total EQ was measured at 0.103% of ICNIRP's *General Public* Reference Levels (or about 1/970) and the site therefore remains safe.

The graphs which follow show the activity on all the frequency bands surveyed. The plots are colour-coded for easy identification of the operator. On each plot, the solid red line represents the Airtel activity, the light blue is JT, the dark blue is Sure, the light grey is Clear (Clear only operates in the 2100MHz band) and the green line is Newtel (Newtel only operates a license in the 3400MHz band). Note however that not all operators are present in each frequency band but the colour assigned to each operator remains the same throughout.


ICNIRP's *General Public* Reference Level is also shown as the dashed line at the top of the graphs. For clarity, each step on the vertical axis represents a 10-fold increase. The same scaling and colour scheme will be used on the plots throughout this report.

The graphs are also supported by the equivalent statistical tables derived from the measured levels at the site for added clarity.

2 Site details

2.1 Site location

Figure 1 – Map of the site area



Site name:	St John Ambulance
Site address:	St Martin's Hall, La Grande Route de St Martin
Site latitude:	49.217923
Site longitude:	-2.053026

2.2 Site description

Operators:	JT
Antenna types:	Monopole
Approximate height:	8-9m
Site type:	Monopole
Description:	The antenna at St John Ambulance is a monopole, located alongside the main building.

2.3 Site photo

Figure 2 – Location of the peak where emission levels were measured.



2.4 Test location

Figure 3 – Survey area with spot measurement markers



As part of the peak search procedure, spot measurements were taken at locations around the antennas as shown on the above sketch.

The blue triangle is the antenna location, yellow lines are the walk route, the green circles are intermediate locations measured at during the peak search and the red circle is the spot where the highest spot search reading was obtained and where the detailed survey was carried out.


The spectrum readings reported further down this report were recorded over a period of six minutes as advised by ICNIRP.

3 Survey results

3.1 700MHz band

The graph for the 700MHz activity is shown below with the E-field strength levels measured at the site plotted on a logarithmic scale.

Figure 4 – 700MHz band spectrum scan



No meaningful activity was recorded at this site on the 700MHz band. The EQ results for the band are shown below.


Table 2 – 700MHz band exposure quotient at St John Ambulance

Site Name	Operator	Band [MHz]	Max E-field Strength [V/m]	ICNIRP Limit Relative to Max E-field	Band Exposure Quotient	Band EQ Relative to ICNIRP
St John Ambulance	JT	700	0.00614	6334	6.43037E-07	1/ 1555121
	Sure		0.005753	6760	5.65105E-07	1/ 1769584
	total band EQ					1.20814E-06

3.2 800MHz band

The graph for the 800MHz activity is shown below.

Figure 5 – 800MHz band spectrum scan



No field level recorded across the band was higher than 0.1863 V/m (JT), which is 209 times smaller than the ICNIRP Reference Level.

The EQ results for the 800MHz band are shown below.


Table 3 – 800MHz band exposure quotient at St John Ambulance

Site Name	Operator	Band [MHz]	Max E-field Strength [V/m]	ICNIRP Limit Relative to Max E-field	Band Exposure Quotient	Band EQ Relative to ICNIRP
St John Ambulance	Airtel	800	0.005689	6836	5.11948E-07	1/ 1953323
	JT		0.1863	209	0.000398	1/ 2513
	Sure		0.006447	6032	6.72059E-07	1/ 1487964
total band EQ					0.000399184	1/ 2505

3.3 900MHz band

The graph for the 900MHz activity is shown below.

Figure 6 – 900MHz band spectrum scan



No field level recorded across the band was higher than 0.4873 V/m (JT), which is 85 times smaller than the ICNIRP Reference Level.

The EQ results for the 900MHz band are shown below.


Table 4 – 900MHz band exposure quotient at St John Ambulance

Site Name	Operator	Band [MHz]	Max E-field Strength [V/m]	ICNIRP Limit Relative to Max E-field	Band Exposure Quotient	Band EQ Relative to ICNIRP
St John Ambulance	Airtel	900	0.004582	9003	3.22852E-07	1/ 3097396
	JT		0.4873	85	0.000628638	1/ 1591
	Sure		0.006966	5922	3.23667E-07	1/ 3089594
total band EQ					0.000629284	1/ 1589

3.4 1800MHz band

The graph for the 1800MHz activity around the site is shown below.

Figure 7 – 1800MHz spectrum scan



No meaningful activity was recorded at this site on the 1800MHz band. The EQ results for the band are shown below.


Table 5 – 1800MHz band exposure quotient at St John Ambulance

Site Name	Operator	Band [MHz]	Max E-field Strength [V/m]	ICNIRP Limit Relative to Max E-field	Band Exposure Quotient	Band EQ Relative to ICNIRP
St John Ambulance	Airtel	1800	0.002366	24656	7.86078E-08	1/ 12721378
	JT		0.004576	12748	1.36277E-07	1/ 7337985
	Sure		0.002288	25497	7.46792E-08	1/ 13390604
total band EQ					2.89564E-07	1/ 3453465

3.5 2100MHz band

The graph for the 2100MHz band activity around the site is shown below.

Figure 8 – 2100MHz band spectrum scan



No meaningful activity was recorded at this site on the 2100MHz band. The EQ results for the band are shown below.


Table 6 – 2100MHz band exposure quotient at St John Ambulance

Site Name	Operator	Band [MHz]	Max E-field Strength [V/m]	ICNIRP Limit Relative to Max E-field	Band Exposure Quotient	Band EQ Relative to ICNIRP
St John Ambulance	Airtel	2100	0.002631	23185	6.24024E-08	1/ 16025036
	Clear		0.002527	24139	4.34569E-08	1/ 23011283
	JT		0.004527	13475	1.03274E-07	1/ 9682994
	Sure		0.004193	14548	8.02256E-08	1/ 12464851
total band EQ					2.89359E-07	1/ 3455918

3.6 2600MHz band

The graph for the 2600MHz band activity around the site is shown below.

Figure 9 – 2600MHz band spectrum scan



No meaningful activity was recorded at this site in the 2600MHz band. The EQ results for the band are shown below.


Table 7 – 2600MHz band exposure quotient at St John Ambulance

Site Name	Operator	Band [MHz]	Max E-field Strength [V/m]	ICNIRP Limit Relative to Max E-field	Band Exposure Quotient	Band EQ Relative to ICNIRP
St John Ambulance	Airtel	2600	0.003038	20079	1.18507E-07	1/ 8438344
	JT		0.003163	19285	1.20783E-07	1/ 8279329
	Sure		0.002892	21093	1.06376E-07	1/ 9400626
total band EQ					3.45665E-07	1/ 2892972

3.7 3400MHz band

The graph for the 3400-3800MHz band activity around the site is shown below.

Figure 10 – 3400MHz band spectrum scan



No meaningful activity was recorded at this site in the 3400MHz band. The EQ results for the band are shown below.

Table 8 – 3400MHz band exposure quotient at St John Ambulance

Site Name	Operator	Band [MHz]	Max E-field Strength [V/m]	ICNIRP Limit Relative to Max E-field	Band Exposure Quotient	Band EQ Relative to ICNIRP
St John Ambulance	Newtel	3400	0.003647	10664	1.53055E-07	1/ 6533604
	JT		0.003602	10797	3.27639E-07	1/ 3052138
	Sure		0.003993	9740	3.597E-07	1/ 2780097
total band EQ					8.40394E-07	1/ 1189918

END